



101 Color Safe Bleach

SDS Number: 4

Revision Date: 12/12/2014

Page 1 of 5

1 PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

James Austin Company
115 Downieville Road
PO Box 827
Mars, PA 16046

Phone: 724-625-1535
Fax: 724-625-3288
Web: www.jamesaustin.com

Emergency phone number: CHEMTREC
US: 1-800-424-9300 **Canada:** 1-800-567-7455
Poison Control Center: 1-800-222-1222

2 HAZARDS IDENTIFICATION

GHS Signal Word:
WARNING

GHS Classifications:
Health, Acute toxicity, 5 Oral
Health, Skin corrosion/irritation, 3

GHS Phrases:
H303 - May be harmful if swallowed
H316 - Causes mild skin irritation

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Percentage	Chemical Name
7722-84-1	2.00-2.50%	Hydrogen peroxide
N/A	0.10-2.00%	Acrylates copolymer blend
N/A	0.03-0.05%	Perfume
72152-54-6	<0.01%	2-Anthracenesulfonic acid, 4-[[4-(acetylmethylamino)-2-sulfophenyl]amino]-1-amino-9,10-dihydro-9,10-dioxo-, disodium salt
7732-18-5	95.00-97.50%	Water



101 Color Safe Bleach

SDS Number: 4

Revision Date: 12/12/2014

Page 2 of 5

4 FIRST AID MEASURES

Inhalation: If breathing is affected, seek medical attention. Prolonged exposure may be irritating to the respiratory tract.
Skin Contact: Remove contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. If irritation develops, seek medical attention. Wash clothes before reuse.
Eye Contact: Rinse immediately with plenty of water. Keep eye(s) wide open while rinsing. Remove contact lenses if present. Avoid rubbing the affected area. Seek medical attention if needed.
Ingestion: Do NOT induce vomiting. Rinse mouth thoroughly with water. If able, have person sip a glassful of water. Call a physician or poison control center.

5 FIRE FIGHTING MEASURES

Flammability: Not flammable
Flash Point: None

Decomposes yielding oxygen that supports combustion of organic materials and can cause overpressure if confined.

Water may cause frothing. In the event of a fire, wear full protective clothing and MSHA/NIOSH self-contained breathing apparatus with a full facepiece operated in the pressure-demand or other positive pressure mode.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment; Water spray may be used to keep fire exposed containers cool. Fire extinguishing agents include dry chemical, carbon dioxide, foam, or water spray.

6 ACCIDENTAL RELEASE MEASURES

Use personal protective equipment as required/recommended. Evacuate public to a safe area. Avoid contact with skin, eyes, and clothing.

Prevent spills from entering sewers or waterways. Contain run-off using diking composed of a suitable material. Soak up liquid on inert absorbant and transfer to an approved container. Clean contaminated surface thoroughly.

7 HANDLING AND STORAGE

Handling Precautions: Keep container in upright position. Do not store with reducing agents, strong alkali or mix with combustible materials.
Storage Requirements: Store in a cool dry place. Keep from freezing. DO NOT STORE IN DIRECT SUNLIGHT

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use adequate ventilation, especially in confined spaces
Personal Protective Equip: None necessary.



101 Color Safe Bleach

SDS Number: 4

Revision Date: 12/12/2014

Page 3 of 5

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Clear, blue	Odor:	Floral aroma
Physical State:	Liquid	Solubility:	Completely soluble
Spec Grav./Density:	1.015 - 1.020		
Viscosity:	150 cP @ 25 C		
pH:	7 - 9		

10 STABILITY AND REACTIVITY

Stability: The product is stable and non-reactive under normal conditions of use, storage and transport.
Conditions to Avoid: No special precautions. Always use safe, standard industrial practices.
Materials to Avoid: Sodium hypochlorite
Hazardous Decomposition: Combined with sodium hypochlorite, rapid oxidation occurs which results in release of chlorine gas.
Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Oral (LD 50): No information available.

Inhalation (LC 50): No information available.

Skin Irritation: Repeated, prolonged or occluded contact may cause skin irritation.

Eye Irritation: May cause eye irritation with direct contact.

Chronic Toxicity: No information available.

12 ECOLOGICAL INFORMATION

Considered biodegradable

BOD/COD Value is not established

Ecotoxicity: Not established



101 Color Safe Bleach

SDS Number: 4

Revision Date: 12/12/2014

Page 4 of 5

13

DISPOSAL CONSIDERATIONS

Disposal should be in accordance with applicable regional, national, and local laws and regulations. Small amounts of unused product may be flushed safely to sanitary sewer with plenty of water. Contact the local water board before flushing large amounts. If solidified, large amounts may be disposed of in a sanitary landfill. Contact state or local authorities for additional restrictions.

14

TRANSPORT INFORMATION

DOT: Not regulated. Classified as non-hazardous.

15

REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

*Hydrogen peroxide (7722841 2.00-2.50%) EHS302, MASS, NJHS, OSHAPSM, OSHAWAC, PA, TSCA, TXAIR

*Acrylates copolymer blend (N/A 0.10-2.00%) TSCA

*Perfume (N/A 0.03-0.05%) TSCA

*2-Anthracenesulfonic acid, 4-[[4-(acetylmethylamino)-2-sulfophenyl]amino]-1-amino-9,10-dihydro-9,10-dioxo-, disodium salt (72152546 <0.01%) TSCA

*Water (7732185 94.00-97.50%) TSCA

REGULATORY KEY DESCRIPTIONS

EHS302 = Extremely Hazardous Substance
MASS = MA Massachusetts Hazardous Substances List
NJHS = NJ Right-to-Know Hazardous Substances
OSHAPSM = OSHA Chemicals Requiring process safety management
OSHAWAC = OSHA workplace Air Contaminants
PA = PA Right-To-Know List of Hazardous Substances
TSCA = Toxic Substances Control Act
TXAIR = TX Air Contaminants with Health Effects Screening Level



101 Color Safe Bleach

SDS Number: 4

Revision Date: 12/12/2014

Page 5 of 5

16

OTHER INFORMATION

Author: James Austin Company

Publication Date: 12/12/2014

Revision Note: MSDS converted to GHS SDS format

Disclaimer: James Austin Company provides this information without warranty. The information is believed to be accurate, but James Austin Company makes no representations as to its accuracy. The information should be used to make an independent determination and therefore, users are responsible to verify this data under their own operating conditions and methods. This information relates only to the product designated herein, and does not relate to its use in combination with other materials or processes.