

Austin's Wipe Away Pine Oil Cleaner

SDS Number: 59

Revision Date: 5/26/2015

Page 1 of 6

1

PRODUCT AND COMPANY IDENTIFICATION

Manufacturer

James Austin Company
115 Downieville Road
PO Box 827
Mars, PA 16046

Phone: 724-625-1535
Fax: 724-625-3288
Web: www.jamesaustin.com

Product Name: Austin's Wipe Away Pine Oil Cleaner
Revision Date: 5/26/2015
Version: 1
SDS Number: 59
Product Code: 54200-01500
Synonyms: Pine oil cleaner, pine cleaner
Internal ID: 90001500

Emergency phone number: CHEMTREC
US: 1-800-424-9300 **Canada:** 1-800-567-7455
Poison Control Center: 1-800-222-1222

2

HAZARDS IDENTIFICATION

GHS Signal Word:
WARNING

GHS Hazard Pictograms:



GHS Classifications:
Health, Respiratory or skin sensitization, 1 Skin
Health, Serious Eye Damage/Eye Irritation, 2 B
Health, Skin corrosion/irritation, 3
Health, Acute toxicity, 5 Oral
Physical, Flammable Liquids, 4

GHS Phrases:
H317 - May cause an allergic skin reaction
H320 - Causes eye irritation
H316 - Causes mild skin irritation
H303 - May be harmful if swallowed
H227 - Combustible liquid

GHS Precautionary Statements:



Austin's Wipe Away Pine Oil Cleaner

SDS Number: 59

Revision Date: 5/26/2015

Page 2 of 6

- P264 - Wash exposed skin thoroughly after handling.
- P270 - Do not eat, drink or smoke when using this product.
- P281 - Use personal protective equipment as required.
- P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P311 - Call a POISON CENTER or doctor/physician.
- P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P309+311 - IF exposed or you feel unwell: Call a POISON CENTER or doctor/physician.
- P341 - If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P370+378 - In case of fire: Use dry chemical, carbon dioxide, foam, or water spray for extinction.
- P401 - Store upright in a cool, dry place.
- P501 - Dispose of contents/container in accordance with all applicable federal, state, and local regulations.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

Cas #	Percentage	Chemical Name
61789-30-8	5.00-6.00%	Fatty acids, coco, potassium salts
8002-09-3	1.00-2.00%	Pine oil
67-63-0	0.55-0.65%	Isopropanol
64-02-8	0.20-0.30%	Chelating Agent
N/A	<0.10%	Dye
7732-18-5	91.05-93.25%	Water

4 FIRST AID MEASURES

- Inhalation:** Remove to fresh air. If breathing is affected, seek medical attention. Prolonged exposure may be irritating to the respiratory tract.
- Skin Contact:** Remove contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. If irritation develops, seek medical attention. Wash clothes before reuse.
- Eye Contact:** Rinse immediately with plenty of water. Keep eye(s) wide open while rinsing. Remove contact lenses if present. Avoid rubbing the affected area. Seek medical attention if needed.
- Ingestion:** Do NOT induce vomiting. Rinse mouth thoroughly with water. If able, have person sip a glassful of water. Call a physician or poison control center.



Austin's Wipe Away Pine Oil Cleaner

SDS Number: 59

Revision Date: 5/26/2015

Page 3 of 6

5 FIRE FIGHTING MEASURES

Flammability: No information available
Flash Point: Not Determined
Burning Rate: No information available
Autoignition Temp: No information available
LEL: No information available
UEL: No information available

In the event of a fire, wear full protective clothing and MSHA/NIOSH self-contained breathing apparatus with a full facepiece operated in the pressure-demand or other positive pressure mode.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment; Water spray may be used to keep fire exposed containers cool. Fire extinguishing agents include dry chemical, carbon dioxide, foam, or water spray.

6 ACCIDENTAL RELEASE MEASURES

Small spill: Flush to sanitary sewer. Mop residue and rinse thoroughly with water.

Large spill: Contain run-off with absorbant materials such as sand, clay or diking. Transfer liquid and absorbant material to an approved container. Keep spill out of sewers or any access to bodies of water. If run-off occurs, notify proper authorities as required.

7 HANDLING AND STORAGE

Handling Precautions: Use personal protective equipment as required/recommended. Use only with adequate ventilation. Avoid contact with skin, eyes, and clothing. Use suitable respiratory equipment in case of inadequate ventilation.

Storage Requirements: Store using properly labeled containers in a cool, dry, well ventilated area. Keep out of reach of children. Separate from incompatible materials. Keep away from heat, sparks and flame.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Use adequate ventilation, especially in confined spaces
Personal Protective Equip: Eye Protection: Chemical-splash goggles or chemical-splash safety glasses
Hand Protection: Chemical-resistant gloves
Respiratory Protection: Suitable NIOSH approved respiratory equipment if needed
Skin and Body Protection: Protective footwear in certain cleaning applications

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, amber
Physical State: Liquid
Spec Grav./Density: 0.995 - 1.005
pH: 8.50 - 9.50
Odor: Pine aroma
Solubility: Completely soluble



Austin's Wipe Away Pine Oil Cleaner

SDS Number: 59

Revision Date: 5/26/2015

Page 4 of 6

10

STABILITY AND REACTIVITY

Stability: The product is stable and non-reactive under normal conditions of use, storage and transport.
Conditions to Avoid: No special precautions. Always use safe, standard industrial practices.
Materials to Avoid: Strong Oxidizing Agents.
Hazardous Decomposition: None under normal processing.
Hazardous Polymerization: Will not occur.

11

TOXICOLOGICAL INFORMATION

Acute Toxicity:

Oral (LD 50): No information available.

Inhalation (LC 50): No information available.

Skin Irritation: Repeated, prolonged or occluded contact may cause skin irritation.

Eye Irritation: May cause eye irritation with severe pain possible permanent damage.

Ingestion: Can cause irritation, nausea, stomach distress, vomiting and diarrhea.

Inhalation: May cause mild irritation of the respiratory tract.

Chronic Toxicity: No information available.

12

ECOLOGICAL INFORMATION

Considered biodegradable

BOD/COD Value is not established

Ecotoxicity: No data available

13

DISPOSAL CONSIDERATIONS

Small amounts of unused product may be flushed safely to the sanitary sewer with plenty of water. Contact local water board before flushing large amounts. If solidified, large amounts may be disposed of in a sanitary landfill. Contact state or local authorities for additional instructions and restrictions.

14

TRANSPORT INFORMATION

DOT Class: Flammable Liquid (3) #3



Austin's Wipe Away Pine Oil Cleaner

SDS Number: 59

Revision Date: 5/26/2015

Page 5 of 6

UN #: UN 1993, Class: 3, Proper Shipping Name: Combustible liquids, n.o.s.

EXCEPTION:

Limited Quantity, ORM-D
Exempted by DOT for containers of 5 Liters or less

15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

- *Fatty acids, coco, potassium salts (61789308 5.00-6.00%) TSCA
- *Pine oil (8002093 1.00-2.00%) TSCA
- *Isopropanol (67630 0.55-0.65%) MASS, NJHS, NRC, OSHAWAC, PA, SARA313, TSCA, TXAIR
- *Chelating Agent (64028 0.20-0.30%) TSCA
- *Dye (N/A <0.10%) TSCA
- *Water (7732185 91.05-93.25%) TSCA

REGULATORY KEY DESCRIPTIONS

TSCA = Toxic Substances Control Act

- MASS = MA Massachusetts Hazardous Substances List
- NJHS = NJ Right-to-Know Hazardous Substances
- NRC = Nationally Recognized Carcinogens
- OSHA = OSHA workplace Air Contaminants
- PA = PA Right-To-Know List of Hazardous Substances
- SARA313 = SARA 313 Title III Toxic Chemicals
- TXAIR = TX Air Contaminants with Health Effects Screening Level

HAP = Hazardous Air Pollutants



Austin's Wipe Away Pine Oil Cleaner

SDS Number: 59

Revision Date: 5/26/2015

Page 6 of 6

16

OTHER INFORMATION

Author: James Austin Company

Publication Date: 12/23/2014

Revision Note: MSDS converted to GHS SDS

Disclaimer: James Austin Company provides this information without warranty. The information is believed to be accurate, but James Austin Company makes no representations as to its accuracy. The information should be used to make an independent determination and therefore, users are responsible to verify this data under their own operating conditions and methods. This information relates only to the product designated herein, and does not relate to its use in combination with other materials or processes.