



JAMES AUSTIN COMPANY

# Safety Data Sheet

## James Austin Company

### Austin's Wipe Away Oven Magic Pro Cleaner

MSDS Number: 425

Revision Date:

Page 1 of 6

1

#### PRODUCT AND COMPANY IDENTIFICATION

##### Manufacturer

James Austin Company  
115 Downieville Road  
PO Box 827  
Mars, PA 16046

**Phone:** 724-625-1535  
**Fax:** 724-625-3288  
**Web:** www.jamesaustin.com

**Product Name:** Austin's Wipe Away Oven Magic Pro Cleaner  
**Version:** 1.0  
**MSDS Number:** 425  
**Product Code:** 54200-00198  
**RCRA Number:** D002  
**Internal ID:** 91000780  
**Product Use:** Heavy duty cleaning for ovens, grills, fryers, vent hoods and other steel or porcelain surfaces.

**Emergency phone number: CHEMTREC**

**US:** 1-800-424-9300 **Canada:** 1-800-567-7455


**Poison Control Center:** 1-800-222-1222

2

#### HAZARDS IDENTIFICATION

GHS Signal Word:  
DANGER

GHS Hazard Pictograms:



GHS Classifications:

Health, Serious Eye Damage/Eye Irritation, 2 B  
Health, Specific target organ toxicity - Single exposure, 3  
Health, Acute toxicity, 5 Inhalation  
Health, Acute toxicity, 5 Oral  
Health, Skin corrosion/irritation, 1 C

GHS Phrases:

H320 - Causes eye irritation  
H335 - May cause respiratory irritation  
H333 - May be harmful if inhaled  
H303 - May be harmful if swallowed  
H314 - Causes severe skin burns and eye damage

GHS Precautionary Statements:



### Austin's Wipe Away Oven Magic Pro Cleaner

MSDS Number: 425

Revision Date:

Page 2 of 6

- P102 - Keep out of reach of children.
- P202 - Do not handle until all safety precautions have been read and understood.
- P210 - Keep away from heat/sparks/open flames/hot surfaces. No smoking
- P233 - Keep container tightly closed.
- P234 - Keep only in original container.
- P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.
- P262 - Do not get in eyes, on skin, or on clothing.
- P270 - Do not eat, drink or smoke when using this product.
- P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- P301+330+331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P301+310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
- P303+361+353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P303 - IF ON SKIN (or hair): Seek medical attention if symptoms develop and persist.
- P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P304+312 - IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.
- P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
- P305 - IF IN EYES: Seek medical attention immediately.
- P370+378 - In case of fire: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide for extinction.
- P410+403 - Protect from sunlight. Store in a well ventilated place.

### 3

#### COMPOSITION/INFORMATION ON INGREDIENTS

##### Ingredients:

Cas #	Percentage	Chemical Name
1310-58-3	4.00-7.00%	Potassium hydroxide
1643-20-5	4.00-7.00%	1-Dodecanamine, N,N-dimethyl-, N-oxide
111-76-2	4.00-7.00%	Ethylene glycol monobutyl ether
9016-45-9	1.00-4.00%	Poly(oxy-1,2-ethanediyl), alpha-(nonylphenyl)-omega-hydroxy-
1336-21-6	1.00-4.00%	Ammonium hydroxide
64-02-8	1.00-4.00%	Chelating Agent
N/A	<0.01%	Dye
7732-18-5	67.00-85.00%	Water

### 4

#### FIRST AID MEASURES

- Inhalation:** Remove to fresh air. If breathing is affected, seek medical attention. Exposure may be irritating to the respiratory tract.
- Skin Contact:** Remove contaminated clothing and flush affected area for 20 minutes with water. Wash with mild soap and water. If irritation persists, seek medical attention. Launder clothing before reuse.
- Eye Contact:** Rinse immediately with plenty of water. Keep eye(s) wide open while rinsing. Remove contact lenses if present. Avoid rubbing the affected area. Seek medical attention immediately.
- Ingestion:** Do NOT induce vomiting. Rinse mouth thoroughly with plenty of water. Seek medical attention immediately.



JAMES AUSTIN COMPANY

# Safety Data Sheet

## James Austin Company

### Austin's Wipe Away Oven Magic Pro Cleaner

MSDS Number: 425

Revision Date:

Page 3 of 6

#### 5 FIRE FIGHTING MEASURES

**Flammability:** NDA

**Flash Point:** NDA

In the event of a fire, wear full protective clothing and MSHA/NIOSH self-contained breathing apparatus with a full facepiece operated in the pressure-demand or other positive pressure mode.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment; Water spray may be used to keep fire exposed containers cool. Fire extinguishing agents include dry chemical, carbon dioxide, foam, or water spray.

#### 6 ACCIDENTAL RELEASE MEASURES

**Small spill:** Use dry earth or other non-combustible absorbant material to collect liquid for transfer to sealable containers.

**Large spill:** Eliminate all ignition sources. Contain run-off with absorbant materials such as sand, clay or diking. Transfer liquid and absorbant material to an approved container. Keep spill out of sewers or any access to bodies of water. If run-off occurs, notify proper authorities as required.

#### 7 HANDLING AND STORAGE

**Handling Precautions:** Use personal protective equipment as required/recommended. Use only with adequate ventilation. Avoid contact with skin, eyes, and clothing. Use suitable respiratory equipment in case of inadequate ventilation.

**Storage Requirements:** Store using properly labeled containers in a cool, dry, well ventilated area. Keep out of reach of children. Separate from incompatible materials.

#### 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Use adequate ventilation, especially in confined spaces

**Personal Protective Equip:** Chemical splash goggles; Face shield; Neoprene gloves; NIOSH approved respirator; Apron;

Use good personal/industrial hygiene practices. Wash thoroughly after using. Keep off equipment and clothing. Do not eat, drink or smoke while using product. Limit inhalation, skin and eye contact.

#### 9 PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear solution; brown color with yellow hue

**Physical State:** Liquid

**Spec Grav./Density:** 1.050-1.060

**pH:** 13.00-13.50

**Odor:** Ammonia

**Solubility:** Completely soluble



JAMES AUSTIN COMPANY

# Safety Data Sheet

## James Austin Company

### Austin's Wipe Away Oven Magic Pro Cleaner

MSDS Number: 425

Revision Date:

Page 4 of 6

10

#### STABILITY AND REACTIVITY

**Stability:** The product is stable and non-reactive under normal conditions of use, storage and transport.  
**Conditions to Avoid:** Heat, sparks and flames. No special precautions beyond standard safe practices.  
**Materials to Avoid:** Acids, aldehydes, halogenated organic compounds, organic nitro compounds, tin, zinc, aluminum and alloys, wool and leather.  
**Hazardous Decomposition:** Carbon monoxide, carbon dioxide, sodium-containing compounds, sulfur-containing compounds.  
**Hazardous Polymerization:** Will not occur.

11

#### TOXICOLOGICAL INFORMATION

**Acute Toxicity:**

**Oral (LD 50):** No information available.

**Inhalation (LC 50):** No information available.

**Skin Irritation:** Can cause skin irritation or burns depending on severity of exposure.

**Eye Irritation:** Blindness can occur upon ingestion. May cause eye irritation or burns depending on severity of exposure.

**Ingestion:** May be harmful or fatal if swallowed. Can cause irritation, nausea, stomach distress, vomiting and diarrhea.

**Inhalation:** May cause mild irritation of nose, throat and respiratory tract.

**Chronic Toxicity:** Dermatitis may occur.

12

#### ECOLOGICAL INFORMATION

Considered biodegradable

BOD/COD Value is not established

Ecotoxicity: No data available.



JAMES AUSTIN COMPANY

# Safety Data Sheet

## James Austin Company

### Austin's Wipe Away Oven Magic Pro Cleaner

MSDS Number: 425

Revision Date:

Page 5 of 6

**13**

#### DISPOSAL CONSIDERATIONS

This material, if discarded as produced, is a RCRA "listed" hazardous waste. It should be fully characterized for toxicity and possible reactivity prior to disposal (40 CFR 261). Use which results in chemical or physical change or contamination may subject it to regulation as a hazardous waste. Along with properly characterizing all waste materials, consult state and local regulations regarding the proper disposal of this material.

Container contents should be completely used and containers should be emptied prior to discard. Larger empty containers, such as drums, should be returned to the distributor or to a drum reconditioner. To assure proper disposal of smaller empty containers, consult with state and local regulations and disposal authorities.

**14**

#### TRANSPORT INFORMATION

DOT Class: Corrosive (8) #8

UN #: UN 1814, Class: 8, Proper Shipping Name: Potassium hydroxide, solution





### Austin's Wipe Away Oven Magic Pro Cleaner

MSDS Number: 425

Revision Date:

Page 6 of 6

15

#### REGULATORY INFORMATION

##### COMPONENT / (CAS/PERC) / CODES

- \*Potassium hydroxide (1310583 4.00-7.00%) CERCLA, CSWHS, MASS, OSHAWAC, PA, TSCA, TXAIR
- \*1-Dodecanamine, N,N-dimethyl-, N-oxide (1643205 4.00-7.00%) TSCA
- \*Ethylene glycol monobutyl ether (111762 4.00-7.00%) HAP, MASS, OSHAWAC, PA, TSCA, TXAIR
- \*Poly(oxy-1,2-ethanediyl), .alpha.-(nonylphenyl)-.omega.-hydroxy- (9016459 1.00-4.00%) TSCA
- \*Ammonium hydroxide (1336216 1.00-4.00%) CERCLA, CSWHS, MASS, NJEHS, PA, TSCA
- \*Chelating Agent (64028 1.00-4.00%) TSCA
- \*Dye (N/A <0.01%)
- \*Water (7732185 67.00-85.00%) TSCA

CERCLA = Superfund clean up substance  
CSWHS = Clean water Act Hazardous substances  
MASS = MA Massachusetts Hazardous Substances List  
OSHA = OSHA workplace Air Contaminants  
PA = PA Right-To-Know List of Hazardous Substances  
TSCA = Toxic Substances Control Act  
TXAIR = TX Air Contaminants with Health Effects Screening Level  
HAP = Hazardous Air Pollutants  
NJEHS = NJ Extraordinarily Hazardous Substances

16

#### OTHER INFORMATION

**Author:** James Austin Company

**Publication Date:** 12/09/2016

**Revision Note:**

**Disclaimer:** James Austin Company provides this information without warranty. The information is believed to be accurate, but James Austin Company makes no representations as to its accuracy. The information should be used to make an independent determination and therefore, users are responsible to verify this data under their own operating conditions and methods. This information relates only to the product designated herein, and does not relate to its use in combination with other materials or processes.